River Staff Gauge



The staff gauge is used for a quick visual indication of the surface level in reservoirs, rivers, streams, irrigation channels, weirs and flumes, and wherever accuracy and readability are important. These environmentally rugged gauges are finished with a special lacquer to insure easy reading and resist rust or discoloration. They virtually never need replacement under normal conditions. Each gauge is accurately graduated and has grommeted holes for easy fastening to walls, piers, poles and other structures.

Model Number: VH-RSG

Length: 1000 mm/ Unit (expandable as per customer requirement)

Width:100 mm

Thickness: 2 mm

Resolution: 2 cm

Scale: cm & meter

Material: Powder Coated Milled Steel

Labeling: White Base, Black scaling and labeling(Screen Painted)

Mounting: with perforations on top and bottom of 1m staff

Measuring Range: Up to 10m(expandable as per customer requirement)









Model Number: VH-RSG-A

Length: 1000 mm/ Unit (expandable as per customer requirement)

Width: 150 mm Thickness: 4 mm Resolution: 2 cm Scale: cm & meter

E graduations: 2 mm massive embossed 2 cm E-pattern

Material: Non-corrosive Aluminum-Cast

Lacquer: Yellow lacquer, Black scaling and labeling (Shock-resistant and

weatherproof)

Mounting: with perforations on top and bottom of 1m staff

Measuring Range: Up to 10m(expandable as per customer requirement)

Length: 1000 mm/ Unit (expandable as per customer requirement)

Width: 100 mm Thickness: 2 mm

Resolution: 2 cm

Scale: cm & meter

Material: Enamel Coated Milled Steel

Labeling: Blue Base, white scaling and labeling

Mounting: with perforations on top and bottom of 1m staff

Measuring Range: Up to 10m(expandable as per customer requirement)



River Staff Gauge





Model Number: VH-RSG-P

Length: 1500 mm/ Unit (expandable as per customer requirement)

Width: 100 mm

Thickness: 3 mm (Overall)

Resolution: 1 cm

Scale: After Every 10 cm

Pattern: 10 cm Scale pattern

Material: Non-corrosive Aluminum Alloy

Labeling: White Base, Blue scaling and labeling

Mounting: with perforations on top and bottom of 1m staff

Paint: White Background with Blue scaling and labeling (weather-proof)

Mounting: with Installation Slots on top, middle and bottom.

Measuring Range: can be expandable as per customer requirement

DUQE Square Business Centre, Quarter Deck, Queen Elizabeth 2, Mina Rashid, Dubai (United Arab Emirates)

Tel. +971-525829733

E-mail: sales@instrumex.ae

Represented by

**Drawing/specifications are subjected to change at any time without prior notice as per manufacturing suitability.